## IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant(s): Timothy N. Moor.

Serial No.: 10/588,629

For: FLUID ANALYSER SYSTEMS

Filed: April 3, 2007

Examiner: Gissel, Gunnar J.

Art Unit: 2856

Confirmation No . 7206

Customer No.: 27.623

Attorney Docket No.: 377.8429USU

Mail Stop Issue Fee COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, VA 22313-1450

Dear Sir:

## AMENDMENT PURSUANT TO REQUEST FROM USPTO TRANSMITTAL

We are enclosing an Amendment in response to a teleconference with Mr. Williams of the United States Patent and Trademark Office on January 5, 2010 in the above-identified application.

	Petition for extension of time pursuant to 37 C.F.R. §§ 1.136 and 1.137 is hereby
made i	f, and to the extent, required. The fee for this extension of time is calculated to
be \$	to extend the time for filing this response until

The fee for any change in number of claims has been calculated as shown below.

			LAIMS AS	AMEND	ED			
	Claims Remaining After Amendment		High Num Previ Pa	ber ously	Present Extra	Rate		
Total Claims	39	Minus	39		0	x \$52.00	\$	
Independent Claims	4	Minus	4		0	x \$220.00	\$	
MULTIPLE DEPENDENT CLAIM FEE					x \$390.00 = \$			
TOTAL FEE FOR CLAIM CHANGES					\$0.00			
1/2 FILING FEE	FOR SMALL EN	TITY		\$N/A				

The total fee for this amendment, including claim changes and any extension of time is calculated to be \$0.00.

X The Commissioner is hereby authorized to charge any additional fees under 37 C.F.R. §§1.16 and 1.17 which may be required with this communication or during the entire pendency of the application, or credit any overpayment, to **Deposit Account No. 01-0467.** 

January 8, 2010 Date

Paul D. Greeley
Attorney for Applicant(s)
Registration No. 31,019

Ohlandt, Greeley, Ruggiero & Perle, L.L.P.
One Landmark Square. 10<sup>th</sup> Floor

Stamford, CT 06901-2682 Telephone: (203) 327-4500 Telefax: (203) 327-6401 Serial No. 10/588,629 Art Unit: 2856

## IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant: Timothy Nicholas Moor

Serial No.: 10/588,629

For: FLUID ANALYSER SYSTEMS

Filed: April 3, 2007

Examiner: Gunnar J. Gissel

Art Unit: 2856

Confirmation No.: 7206

Customer No.: 27,623

Attorney Docket No.: 377.8429USU

## AMENDMENT PURSUANT TO REQUEST FROM USPTO

Mail Stop Issue Fee Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

Dear Sir:

Applicant received a Notice of Allowance dated August 12, 2009, and paid the issue and publication fees on November 10, 2009, for the above-noted application. On January 5, 2010, Mr. Williams of the USPTO called to indicate that a 312 Amendment is required prior to Publication due to a missing heading in the Specification, as well as a brief description of the drawings. Accordingly, please amend the application as follows to comply with Mr. Williams' request:

Amendments to specification begin on page 2 of this paper.

Remarks begin on page 4 of this paper.